

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

ORDINANCE NO. 06-1271

**AN ORDINANCE OF THE CITY OF HERMOSA BEACH, CALIFORNIA,
AMENDING TITLE 8 OF THE HERMOSA BEACH MUNICIPAL CODE ADDING
NEW CHAPTER 8.52 FLOODPLAIN MANAGEMENT REGULATIONS AND
AMENDING CHAPTER 15.04 OF THE HERMOSA BEACH MUNICIPAL CODE**

**THE CITY COUNCIL OF THE CITY OF HERMOSA BEACH, CALIFORNIA,
DOES HEREBY ORDAIN AS FOLLOWS:**

SECTION 1. The City Council hereby finds that the Title 44, Section 60.1(a) of the Code of Federal Regulations requires adoption of Floodplain Management Regulations in order for the residents of the City of Hermosa Beach to be eligible to purchase flood insurance through the National Flood Insurance Program, which is managed by the Federal Emergency Management Agency. Such regulations must meet the minimum standards set forth in Title 44, Section 60.3 of the Code of Federal Regulations.

SECTION 2. Title 8 of the Hermosa Beach Municipal Code is amended by adding thereto a new Chapter 8.52 to read as follows:

Chapter 8.52 FLOODPLAIN MANAGEMENT REGULATIONS

8.52.010 STATUTORY AUTHORIZATION.

The Legislature of the State of California has in Government Code Sections 65302, 65560, and 65800 conferred upon local governments the authority to adopt regulations designed to promote the public health, safety, and general welfare of its citizenry. Therefore, the City of Hermosa Beach does hereby adopt the following floodplain management regulations.

8.52.020 FINDINGS OF FACT.

A. The flood hazard areas of Hermosa Beach are subject to periodic inundation which results in loss of life and property, health and safety hazards, disruption of commerce and governmental services, extraordinary public expenditures for flood protection and relief, and impairment of the tax base, all of which adversely affect the public health, safety, and general welfare.

B. These flood losses are caused by uses that are inadequately elevated, flood-proofed, or protected from flood damage. The cumulative effect of obstructions in areas of special flood hazards which increase flood heights and velocities also contributes to flood losses.

1 **8.52.030 STATEMENT OF PURPOSE.**

2 It is the purpose of this chapter to promote the public health, safety, and general welfare,
3 and to minimize public and private losses due to flood conditions by provisions designed to:

- 4 A. Protect human life and health;
- 5 B. Minimize expenditure of public money for costly flood control projects;
- 6 C. Minimize the need for rescue and relief efforts associated with flooding and
7 generally undertaken at the expense of the general public;
- 8 D. Minimize prolonged business interruptions;
- 9 E. Minimize damage to public facilities and utilities such as water and gas mains;
10 electric, telephone and sewer lines; and streets and bridges located in areas of special flood
11 hazard;
- 12 F. Help maintain a stable tax base by providing for the sound use and development of
13 areas of special flood hazard so as to minimize future blighted areas caused by flood damage;
- 14 G. Ensure that potential buyers are notified that property is in an area of special flood
15 hazard; and
- 16 H. Ensure that those who occupy the areas of special flood hazard assume
17 responsibility for their actions.

18 **8.52.040 METHODS OF REDUCING FLOOD LOSSES.**

19 In order to accomplish its purposes, this chapter includes regulations to:

- 20 A. Restrict or prohibit uses which are dangerous to health, safety, and property due to
21 water or erosion hazards, or which result in damaging increases in erosion or flood heights or
22 velocities;
- 23 B. Require that uses vulnerable to floods, including facilities which serve such uses,
24 be protected against flood damage at the time of initial construction;
- 25 C. Control the alteration of natural floodplains, stream channels, and natural
26 protective barriers, which help accommodate or channel floodwaters;
- 27 D. Control filling, grading, dredging, and other development which may increase
28 flood damage; and

1 E. Prevent or regulate the construction of flood barriers which will unnaturally divert
2 floodwaters or which may increase flood hazards in other areas.

3 **8.52.050 DEFINITIONS.**

4 Unless specifically defined below, words or phrases used in this chapter shall be
5 interpreted so as to give them the meaning they have in common usage and to give this chapter its
6 most reasonable application.

7 "A zone" - see "Special flood hazard area".

8 "Accessory structure" means a structure of which the use is incidental to that of the main
9 structure on the same lot. Where the wall of an accessory structure has a common wall or a
10 portion of a common wall not less than four feet in length, such accessory structure shall be
11 considered as a part of the main structure.

12 "Appeal" means a request for a review of the Floodplain Administrator's interpretation of
13 any provision of this chapter.

14 "Area of shallow flooding" means a designated AO or AH Zone on the Flood Insurance
15 Rate Map (FIRM). The base flood depths range from one to three feet; a clearly defined channel
16 does not exist; the path of flooding is unpredictable and indeterminate; and velocity flow may be
17 evident. Such flooding is characterized by ponding or sheet flow.

18 "Area of special flood hazard" - See "Special flood hazard area."

19 "Area of special flood-related erosion hazard" is the land within a community which is
20 most likely to be subject to severe flood-related erosion losses. The area may be designated as
21 Zone E on the Flood Insurance Rate Map (FIRM).

22 "Base flood" means a flood which has a one percent chance of being equaled or exceeded
23 in any given year (also called the "100-year flood"). Base flood is the term used throughout this
24 chapter.

25 "Base flood elevation" (BFE) means the elevation shown on the Flood Insurance Rate
26 Map for Zones AE, AH, A1-30, VE and V1-V30 that indicates the water surface elevation
27 resulting from a flood that has a 1-percent or greater chance of being equaled or exceeded in any
28 given year.

1 "Basement" means any area of the building having its floor subgrade - i.e., below ground
2 level - on all sides.

3 "Breakaway walls" are any type of walls, whether solid or lattice, and whether constructed
4 of concrete, masonry, wood, metal, plastic or any other suitable building material which is not part
5 of the structural support of the building and which is designed to break away under abnormally
6 high tides or wave action without causing any damage to the structural integrity of the building on
7 which they are used or any buildings to which they might be carried by flood waters. A
8 breakaway wall shall have a safe design loading resistance of not less than 10 and no more than 20
9 pounds per square foot. Use of breakaway walls must be certified by a registered engineer or
10 architect and shall meet the following conditions:

11 1. Breakaway wall collapse shall result from a water load less than that which would
12 occur during the base flood; and

13 2. The elevated portion of the building shall not incur any structural damage due to
14 the effects of wind and water loads acting simultaneously in the event of the base flood.

15 "Building" - see "Structure".

16 "Coastal high hazard area" means an area of special flood hazard extending from offshore
17 to the inland limit of a primary frontal dune along an open coast and any other area subject to high
18 velocity wave action from storms or seismic sources. It is an area subject to high velocity waters,
19 including coastal and tidal inundation or tsunamis. The area is designated on a Flood Insurance
20 Rate Map (FIRM) as Zone V1-V30, VE, or V.

21 "Development" means any man-made change to improved or unimproved real estate,
22 including but not limited to buildings or other structures, mining, dredging, filling, grading,
23 paving, excavation or drilling operations or storage of equipment or materials.

24 "Encroachment" means the advance or infringement of uses, plant growth, fill, excavation,
25 buildings, permanent structures or development into a floodplain which may impede or alter the
26 flow capacity of a floodplain.

27 "Existing manufactured home park or subdivision" means a manufactured home park or
28 subdivision for which the construction of facilities for servicing the lots on which the

1 manufactured homes are to be affixed (including, at a minimum, the installation of utilities, the
2 construction of streets, and either final site grading or the pouring of concrete pads) is completed
3 before the date this chapter became effective.

4 "Expansion to an existing manufactured home park or subdivision" means the preparation
5 of additional sites by the construction of facilities for servicing the lots on which the manufactured
6 homes are to be affixed (including the installation of utilities, the construction of streets, and
7 either final site grading or the pouring of concrete pads).

8 "Flood, flooding, or flood water" means:

9 1. A general and temporary condition of partial or complete inundation of normally
10 dry land areas from the overflow of inland or tidal waters; the unusual and rapid accumulation or
11 runoff of surface waters from any source; and/or mudslides (i.e., mudflows); and

12 2. The condition resulting from flood-related erosion.

13 "Flood Boundary and Floodway Map (FBFM)" means the official map on which the
14 Federal Emergency Management Agency or Federal Insurance Administration has delineated both
15 the areas of special flood hazards and the floodway.

16 "Flood Insurance Rate Map (FIRM)" means the official map on which the Federal
17 Emergency Management Agency or Federal Insurance Administration has delineated both the
18 areas of special flood hazards and the risk premium zones applicable to the community.

19 "Flood Insurance Study" means the official report provided by the Federal Insurance
20 Administration that includes flood profiles, the Flood Insurance Rate Map, the Flood Boundary
21 and Floodway Map, and the water surface elevation of the base flood.

22 "Floodplain or flood-prone area" means any land area susceptible to being inundated by
23 water from any source - see "Flooding."

24 "Floodplain Administrator" is the Director of Public Works.

25 "Floodplain management" means the operation of an overall program of corrective and
26 preventive measures for reducing flood damage and preserving and enhancing, where possible,
27 natural resources in the floodplain, including but not limited to emergency preparedness plans,
28 flood control works, floodplain management regulations, and open space plans.

1 "Floodplain management regulations" means this chapter and other zoning ordinances,
2 subdivision regulations, building codes, health regulations, special purpose ordinances (such as
3 grading and erosion control) and other application of police power which control development in
4 flood-prone areas. This term describes federal, state or local regulations in any combination
5 thereof which provide standards for preventing and reducing flood loss and damage.

6 "Flood-proofing" means any combination of structural and nonstructural additions,
7 changes, or adjustments to structures which reduce or eliminate flood damage to real estate or
8 improved real property, water and sanitary facilities, structures, and their contents. For guidelines
9 on dry and wet flood-proofing, see FEMA Technical Bulletins TB 1-93, TB 3-93, and TB 7-93.

10 "Floodway" means the channel of a river or other watercourse and the adjacent land areas
11 that must be reserved in order to discharge the base flood without cumulatively increasing the
12 water surface elevation more than one foot. Also referred to as "Regulatory Floodway."

13 "Floodway fringe" is that area of the floodplain on either side of the "Regulatory
14 Floodway" where encroachment may be permitted.

15 "Fraud and victimization" as related to Section 8.52.260 of this chapter, means that the
16 variance granted must not cause fraud on or victimization of the public. In examining this
17 requirement, the City of Hermosa Beach will consider the fact that every newly constructed
18 building adds to government responsibilities and remains a part of the community for fifty to
19 one-hundred years. Buildings that are permitted to be constructed below the base flood elevation
20 are subject during all those years to increased risk of damage from floods, while future owners of
21 the property and the community as a whole are subject to all the costs, inconvenience, danger, and
22 suffering that those increased flood damages bring. In addition, future owners may purchase the
23 property, unaware that it is subject to potential flood damage, and can be insured only at very high
24 flood insurance rates.

25 "Functionally dependent use" means a use which cannot perform its intended purpose
26 unless it is located or carried out in close proximity to water. The term includes only docking
27 facilities, port facilities that are necessary for the loading and unloading of cargo or passengers,
28

1 and ship building and ship repair facilities, and does not include long-term storage or related
2 manufacturing facilities.

3 "Governing body" is the City Council of the City of Hermosa Beach.

4 "Hardship" as related to Section 8.52.230 of this chapter means the exceptional hardship
5 that would result from a failure to grant the requested variance. The City of Hermosa Beach
6 requires that the variance be exceptional, unusual, and peculiar to the property involved. Mere
7 economic or financial hardship alone is not exceptional. Inconvenience, aesthetic considerations,
8 physical handicaps, personal preferences, or the disapproval of one's neighbors likewise cannot, as
9 a rule, qualify as an exceptional hardship. All of these problems can be resolved through other
10 means without granting a variance, even if the alternative is more expensive, or requires the
11 property owner to build elsewhere or put the parcel to a different use than originally intended.

12 "Highest adjacent grade" means the highest natural elevation of the ground surface prior to
13 construction next to the proposed walls of a structure.

14 "Historic structure" means any structure that is:

15 1. Listed individually in the National Register of Historic Places (a listing maintained
16 by the Department of Interior) or preliminarily determined by the Secretary of the Interior as
17 meeting the requirements for individual listing on the National Register;

18 2. Certified or preliminarily determined by the Secretary of the Interior as
19 contributing to the historical significance of a registered historic district or a district preliminarily
20 determined by the Secretary to qualify as a registered historic district;

21 3. Individually listed on a state inventory of historic places in states with historic
22 preservation programs which have been approved by the Secretary of Interior; or

23 4. Individually listed on a local inventory of historic places in communities with
24 historic preservation programs that have been certified either by an approved state program as
25 determined by the Secretary of the Interior or directly by the Secretary of the Interior in states
26 without approved programs.

27
28

1 "Levee" means a man-made structure, usually an earthen embankment, designed and
2 constructed in accordance with sound engineering practices to contain, control or divert the flow
3 of water so as to provide protection from temporary flooding.

4 "Levee system" means a flood protection system which consists of a levee, or levees, and
5 associated structures, such as closure and drainage devices, which are constructed and operated in
6 accord with sound engineering practices.

7 "Lowest floor" means the lowest floor of the lowest enclosed area, including basement
8 (see "Basement" definition).

9 1. An unfinished or flood resistant enclosure below the lowest floor that is usable
10 solely for parking of vehicles, building access or storage in an area other than a basement area, is
11 not considered a building's lowest floor provided it conforms to applicable non-elevation design
12 requirements, including, but not limited to:

- 13 a. The flood openings standard in Section 8.52.160.C.4 ;
- 14 b. anchoring standards in Section 8.52.160.A;
- 15 c. construction materials and methods standards in Section 8.52.160.B; and
- 16 d standards for utilities in Section 8.52.170.

17 "Manufactured home" means a structure, transportable in one or more sections, which is
18 built on a permanent chassis and is designed for use with or without a permanent foundation when
19 attached to the required utilities. The term "manufactured home" does not include a "recreational
20 vehicle".

21 "Manufactured home park or subdivision" means a parcel (or contiguous parcels) of land
22 divided into two or more manufactured home lots for rent or sale.

23 "Market value" is defined in the City of Hermosa Beach substantial damage/improvement
24 procedures. See Section 8.52.140.B.

25 "Mean sea level" means, for purposes of the National Flood Insurance Program, the
26 National Geodetic Vertical Datum (NGVD) of 1929, North American Vertical Datum (NAVD) of
27 1988, or other datum, to which base flood elevations shown on a community's Flood Insurance
28 Rate Map are referenced.

1 "New construction" for floodplain management purposes, means structures for which the
2 "start of construction" commenced on or after the effective date of this chapter, and includes any
3 subsequent improvements to such structures.

4 "New manufactured home park or subdivision" means a manufactured home park or
5 subdivision for which the construction of facilities for servicing the lots on which the
6 manufactured homes are to be affixed (including at a minimum, the installation of utilities, the
7 construction of streets, and either final site grading or the pouring of concrete pads) is completed
8 on or after the effective date of this chapter.

9 "Obstruction" includes, but is not limited to, any dam, wall, wharf, embankment, levee,
10 dike, pile, abutment, protection, excavation, channelization, bridge, conduit, culvert, building,
11 wire, fence, rock, gravel, refuse, fill, structure, vegetation or other material in, along, across or
12 projecting into any watercourse which may alter, impede, retard or change the direction and/or
13 velocity of the flow of water, or due to its location, its propensity to snare or collect debris carried
14 by the flow of water, or its likelihood of being carried downstream.

15 "One-hundred-year flood" or "100-year flood" - see "Base flood."

16 "Primary frontal dune" means a continuous or nearly continuous mound or ridge of sand
17 with relatively steep seaward and landward slopes immediately landward and adjacent to the
18 beach and subject to erosion and overtopping from high tides and waves during major coastal
19 storms. The inland limit of the primary frontal dune occurs at the point where there is a distinct
20 change from a relatively mild slope.

21 "Program deficiency" means a defect in a community's floodplain management
22 regulations or administrative procedures that impairs effective implementation of those floodplain
23 management regulations.

24 "Public safety and nuisance" as related to Section 8.52.250 of this chapter, means that the
25 granting of a variance must not result in anything which is injurious to safety or health of an entire
26 community or neighborhood, or any considerable number of persons, or unlawfully obstructs the
27 free passage or use, in the customary manner, of any navigable lake, or river, bay, stream, canal,
28 or basin.

1 "Recreational vehicle" means a vehicle which is:

- 2 1. Built on a single chassis;
- 3 2. 400 square feet or less when measured at the largest horizontal projection;
- 4 3. Designed to be self-propelled or permanently towable by a light-duty truck; and
- 5 4. Designed primarily not for use as a permanent dwelling but as temporary living
6 quarters for recreational, camping, travel, or seasonal use.

7 "Regulatory floodway" means the channel of a river or other watercourse and the adjacent
8 land areas that must be reserved in order to discharge the base flood without cumulatively
9 increasing the water surface elevation more than one foot.

10 "Remedy a violation" means to bring the structure or other development into compliance
11 with State or local floodplain management regulations, or if this is not possible, to reduce the
12 impacts of its noncompliance. Ways that impacts may be reduced include protecting the structure
13 or other affected development from flood damages, implementing the enforcement provisions of
14 this chapter or otherwise deterring future similar violations, or reducing State or Federal financial
15 exposure with regard to the structure or other development.

16 "Riverine" means relating to, formed by, or resembling a river (including tributaries),
17 stream, brook, etc.

18 "Sand dunes" mean naturally occurring accumulations of sand in ridges or mounds
19 landward of the beach.

20 "Sheet flow area" - see "Area of shallow flooding."

21 "Special flood hazard area (SFHA)" means an area in the floodplain subject to a 1 percent
22 or greater chance of flooding in any given year. It is shown on an FHBM or FIRM as Zone A,
23 AO, A1-A30, AE, A99, AH, V1-V30, VE or V.

24 "Start of construction" includes substantial improvement and other proposed new
25 development and means the date the building permit was issued, provided the actual start of
26 construction, repair, reconstruction, rehabilitation, addition, placement, or other improvement was
27 within 180 days from the date of the permit. The actual start means either the first placement of
28 permanent construction of a structure on a site, such as the pouring of slab or footings, the

1 installation of piles, the construction of columns, or any work beyond the stage of excavation; or
2 the placement of a manufacture home on a foundation. Permanent construction does not include
3 land preparation, such as clearing, grading, and filling; nor does it include the installation of
4 streets and/or walkways; nor does it include excavation for a basement, footings, piers, or
5 foundations or the erection of temporary forms; nor does it include the installation on the property
6 of accessory buildings, such as garages or sheds not occupied as dwelling units or not part of the
7 main structure. For a substantial improvement, the actual start of construction means the first
8 alteration of any wall, ceiling, floor, or other structural part of a building, whether or not that
9 alteration affects the external dimensions of the building.

10 "Structure" means a walled and roofed building that is principally above ground; this
11 includes a gas or liquid storage tank or a manufactured home.

12 "Substantial damage" means damage of any origin sustained by a structure whereby the cost
13 of restoring the structure to its before damaged condition would equal or exceed 50 percent of the
14 market value of the structure before the damage occurred.

15 "Substantial improvement" means any reconstruction, rehabilitation, addition, or other
16 improvement of a structure, the cost of which equals or exceeds 50 percent of the market value of
17 the structure before the "start of construction" of the improvement. This term includes structures
18 which have incurred "substantial damage", regardless of the actual repair work performed. The
19 term does not, however, include either:

20 1. Any project for improvement of a structure to correct existing violations or state or
21 local health, sanitary, or safety code specifications which have been identified by the local code
22 enforcement official and which are the minimum necessary to assure safe living conditions; or

23 2. Any alteration of a "historic structure," provided that the alteration will not
24 preclude the structure's continued designation as a "historic structure."

25 "V zone" - see "Coastal high hazard area."

26 "Variance" means a grant of relief from the requirements of this chapter which permits
27 construction in a manner that would otherwise be prohibited by this chapter.

28

1 “Violation” means the failure of a structure or other development to be fully compliant
2 with this chapter. A structure or other development without the elevation certificate, other
3 certifications, or other evidence of compliance required in this chapter is presumed to be in
4 violation until such time as that documentation is provided.

5 “Water surface elevation” means the height, in relation to the National Geodetic Vertical
6 Datum (NGVD) of 1929, North American Vertical Datum (NAVD) of 1988, or other datum, of
7 floods of various magnitudes and frequencies in the floodplains of coastal or riverine areas.

8 “Watercourse” means a lake, river, creek, stream, wash, arroyo, channel or other
9 topographic feature on or over which waters flow at least periodically. Watercourse includes
10 specifically designated areas in which substantial flood damage may occur.

11 **8.52.060 LANDS TO WHICH THIS CHAPTER APPLIES.**

12 This chapter shall apply to all areas of special flood hazards within the jurisdiction of City
13 of Hermosa Beach

14 **8.52.070 BASIS FOR ESTABLISHING THE AREAS OF SPECIAL FLOOD**
15 **HAZARD.**

16 The areas of special flood hazard identified by the Federal Emergency Management
17 Agency (FEMA) in the “Los Angeles County Flood Insurance Study (FIS)” dated July 6, 1998,
18 with accompanying Flood Insurance Rate Maps (FIRM’s) and Flood Boundary and Floodway
19 Maps (FBFM’s), and all subsequent amendments and/or revisions, are hereby adopted by
20 reference and declared to be a part of this chapter. This FIS and attendant mapping is the
21 minimum area of applicability of this chapter and may be supplemented by studies for other areas
22 which allow implementation of this chapter and which are recommended to the City of Hermosa
23 Beach by the Floodplain Administrator. The study, FIRM’s and FBFM’s are on file at the City of
24 Hermosa Beach Public Works Department at 1315 Valley Drive, Hermosa Beach.

25 **8.52.080 COMPLIANCE.**

26 No structure or land shall hereafter be constructed, located, extended, converted, or altered
27 without full compliance with the terms of this chapter and other applicable regulations. Violation of
28 the requirements (including violations of conditions and safeguards) shall constitute a misdemeanor.

1 Nothing herein shall prevent the City of Hermosa Beach from taking such lawful action as is
2 necessary to prevent or remedy any violation.

3 **8.52.090 ABROGATION AND GREATER RESTRICTIONS.**

4 This chapter is not intended to repeal, abrogate, or impair any existing easements,
5 covenants, or deed restrictions. However, where this chapter and any other provision of law,
6 easement, covenant, or deed restriction conflict or overlap, whichever imposes the more stringent
7 restrictions shall prevail.

8 **8.52.100 INTERPRETATION.**

9 In the interpretation and application of this chapter, all provisions shall be:

- 10 A. Considered as minimum requirements;
- 11 B. Liberally construed in favor of the governing body; and
- 12 C. Deemed neither to limit nor repeal any other powers granted under state statutes.

13 **8.52.110 WARNING AND DISCLAIMER OF LIABILITY.**

14 The degree of flood protection required by this chapter is considered reasonable for regulatory
15 purposes and is based on scientific and engineering considerations. Larger floods can and will occur
16 on rare occasions. Flood heights may be increased by man-made or natural causes. This chapter does
17 not imply that land outside the areas of special flood hazards or uses permitted within such areas will
18 be free from flooding or flood damages. This chapter shall not create liability on the part of City of
19 Hermosa Beach, any officer or employee thereof, the State of California, or the Federal Emergency
20 Management Agency, for any flood damages that result from reliance on this chapter or any
21 administrative decision lawfully made hereunder.

22 **8.52.120 FLOOD DAMAGE PREVENTION PERMIT.**

23 A flood damage prevention permit shall be obtained before any construction or other
24 development, including manufactured homes, within any area of special flood hazard established
25 in Section 8.52.070. Application for a flood damage prevention permit shall be made on forms
26 furnished by the City of Hermosa Beach. The applicant shall provide the following minimum
27 information:

- 28 A. Plans in duplicate, drawn to scale, showing:

1 1. Location, dimensions, and elevation of the area in question, existing or proposed
2 structures, storage of materials and equipment and their location;

3 2. Proposed locations of water supply, sanitary sewer, and other utilities;

4 3. Grading information showing existing and proposed contours, any proposed fill,
5 and drainage facilities;

6 4. Location of the regulatory floodway when applicable;

7 5. Base flood elevation information as specified in Section 8.52.070 or Section
8 8.52.140.C;

9 6. Proposed elevation in relation to mean sea level, of the lowest floor (including
10 basement) of all structures; and

11 7. Proposed elevation in relation to mean sea level to which any nonresidential
12 structure will be flood-proofed, as required in Section 8.52.160.C.3 of this chapter and detailed in
13 FEMA Technical Bulletin TB 3-93.

14 B. Certification from a registered civil engineer or architect that the nonresidential
15 flood-proofed building meets the flood-proofing criteria in Section 8.52.160.C.3.

16 C. For a crawl-space foundation, location and total net area of foundation openings as
17 required in Section 8.52.160.C.2 of this chapter and detailed in FEMA Technical Bulletins 1-93
18 and 7-93.

19 D. Description of the extent to which any watercourse will be altered or relocated as a
20 result of proposed development.

21 E. All appropriate certifications listed in Section 8.52.140.E of this chapter.

22 8.52.130 DESIGNATION OF FLOODPLAIN ADMINISTRATOR.

23 The Director of Public Works is hereby appointed to administer, implement, and enforce
24 this chapter by granting or denying flood damage prevention permits in accord with its provisions.

25 8.52.140 DUTIES AND RESPONSIBILITIES OF THE FLOODPLAIN ADMINSTRATOR.

26 The duties and responsibilities of the Floodplain Administrator shall include, but not be
27 limited to the following:

28 A. Permit Review.

1 Review all flood damage prevention permits to determine:

- 2 1. Permit requirements of this chapter have been satisfied, including determination of
3 substantial improvement and substantial damage of existing structures;
- 4 2. All other required state and federal permits have been obtained;
- 5 3. The site is reasonably safe from flooding;
- 6 4. The proposed development does not adversely affect the carrying capacity of areas
7 where base flood elevations have been determined but a floodway has not been designated. This
8 means that the cumulative effect of the proposed development when combined with all other
9 existing and anticipated development will not increase the water surface elevation of the base
10 flood more than 1 foot at any point within the City of Hermosa Beach; and

11 5. All Letters of Map Revision (LOMR's) for flood control projects are approved
12 prior to the issuance of building permits. Building Permits must not be issued based on
13 Conditional Letters of Map Revision (CLOMR's). Approved CLOMR's allow construction of the
14 proposed flood control project and land preparation as specified in the "start of construction"
15 definition.

16 B. Development of Substantial Improvement and Substantial Damage Procedures.

- 17 1. Using FEMA publication FEMA 213, "Answers to Questions About Substantially
18 Damaged Buildings," develop detailed procedures for identifying and administering requirements
19 for substantial improvement and substantial damage, to include defining "Market Value."
- 20 2. Assure procedures are coordinated with other departments/divisions and
21 implemented by community staff.

22 C. Review, Use and Development of Other Base Flood Data.

23 When base flood elevation data has not been provided in accordance with Section
24 8.52.070, the Floodplain Administrator shall obtain, review, and reasonably utilize any base flood
25 elevation and floodway data available from a federal or state agency, or other source, in order to
26 administer Sections 8.52.160 through 8.52.220.

27 NOTE: A base flood elevation may be obtained using one of two methods from
28 the FEMA publication, FEMA 265, "Managing Floodplain Development in Approximate Zone A

1 Areas – A Guide for Obtaining and Developing Base (100-year) Flood Elevations” dated July
2 1995.

3 D. Notification of Other Agencies.

4 1. Alteration or relocation of a watercourse:

5 a. Notify adjacent communities and the California Department of Water
6 Resources prior to alteration or relocation;

7 b. Submit evidence of such notification to the Federal Emergency Management
8 Agency; and

9 c. Assure that the flood carrying capacity within the altered or relocated portion
10 of said watercourse is maintained.

11 2. Base Flood Elevation changes due to physical alterations:

12 a. Within 6 months of information becoming available or project completion,
13 whichever comes first, the floodplain administrator shall submit or assure that the permit applicant
14 submits technical or scientific data to FEMA for a Letter of Map Revision (LOMR).

15 b. All LOMR’s for flood control projects are approved prior to the issuance of
16 building permits. Building Permits must not be issued based on Conditional Letters of Map
17 Revision (CLOMR’s). Approved CLOMR’s allow construction of the proposed flood control
18 project and land preparation as specified in the “start of construction” definition.

19 Such submissions are necessary so that upon confirmation of those physical changes
20 affecting flooding conditions, risk premium rates and floodplain management requirements are
21 based on current data.

22 3. Changes in corporate boundaries:

23 Notify FEMA in writing whenever the corporate boundaries have been
24 modified by annexation or other means and include a copy of a map of the community clearly
25 delineating the new corporate limits.

26
27 E. Documentation of Floodplain Development.
28

1 Obtain and maintain for public inspection and make available as needed the
2 following:

- 3 1 Certification required by Section 8.52.160.C.1 and Section 8.52.190 (lowest floor
4 elevations);
- 5 2. Certification required by Section 8.52.160.C.3 (elevation or flood-proofing of
6 nonresidential structures);
- 7 3. Certification required by Sections 8.52.160.C.4 (wet flood-proofing standard);
- 8 4. Certification of elevation required by Section 8.52.180.A.3 (subdivisions and other
9 proposed development standards);
- 10 5. Certification required by Section 8.52.220 (floodway encroachments);
- 11 6. Information required by Section 8.52.210.F (coastal construction standards); and
- 12 7. Maintain a record of all variance actions, including justification for their issuance,
13 and report such variances issued in its biennial report submitted to the Federal Emergency
14 Management Agency.

15 F. Map Determination. Make interpretations where needed, as to the exact location of the
16 boundaries of the areas of special flood hazard, where there appears to be a conflict between a
17 mapped boundary and actual field conditions. The person contesting the location of the boundary
18 shall be given a reasonable opportunity to appeal the interpretation as provided in Section
19 8.52.150.

20 G. Remedial Action. Take action to remedy violations of this chapter as specified in
21 Section 8.52.080.

22 H. Biennial Report. Complete and submit Biennial Report to FEMA.

23 I. Planning. Assure community's General Plan is consistent with floodplain management
24 objectives herein.

25 **8.52.150 APPEALS**

26 The City Council of the City of Hermosa Beach shall hear and decide appeals when it is
27 alleged there is an error in any requirement, decision, or determination made by the Floodplain
28 Administrator in the enforcement or administration of this chapter.

1 **8.52.160 STANDARDS OF CONSTRUCTION**

2 In all areas of special flood hazards the following standards are required:

3 A. Anchoring.

4 All new construction and substantial improvements of structures, including
5 manufactured homes, shall be adequately anchored to prevent flotation, collapse or lateral
6 movement of the structure resulting from hydrodynamic and hydrostatic loads, including the
7 effects of buoyancy.

8 B. Construction Materials and Methods.

9 All new construction and substantial improvements of structures, including
10 manufactured homes, shall be constructed:

11 1. With flood resistant materials, and utility equipment resistant to flood damage for
12 areas below the base flood elevation;

13 2. Using methods and practices that minimize flood damage;

14 3. With electrical, heating, ventilation, plumbing and air conditioning equipment and
15 other service facilities that are designed and/or located so as to prevent water from entering or
16 accumulating within the components during conditions of flooding; and

17 4. Within Zones AH or AO, so that there are adequate drainage paths around
18 structures on slopes to guide flood waters around and away from proposed structures.

19 C. Elevation and Flood-proofing.

20 1. Residential construction. All new construction or substantial improvements of
21 residential structures shall have the lowest floor, including basement:

22 a. In AE, AH, A1-30 Zones, elevated to or above the base flood elevation.

23 b. In an AO zone, elevated above the highest adjacent grade to a height equal
24 to or exceeding the depth number specified in feet on the FIRM, or elevated at least 2 feet above
25 the highest adjacent grade if no depth number is specified.

26 c. In an A zone, without BFE's specified on the FIRM [unnumbered A zone],
27 elevated to or above the base flood elevation; as determined under Section 8.52.140.C.

28

1 Upon the completion of the structure, the elevation of the lowest floor, including
2 basement, shall be certified by a registered civil engineer or licensed land surveyor, and verified
3 by the community building inspector to be properly elevated. Such certification and verification
4 shall be provided to the Floodplain Administrator.

5 2. Crawlspace Construction. This sub-section applies to buildings with crawl spaces
6 up to 2 feet below grade. Below-grade crawl space construction in accordance with the
7 requirements listed below will not be considered basements.

8 a. The building must be designed and adequately anchored to resist flotation,
9 collapse, and lateral movement of the structure resulting from hydrodynamic and hydrostatic loads,
10 including the effects of buoyancy. Crawl space construction is not allowed in areas with flood
11 velocities greater than 5 feet per second unless the design is reviewed by a qualified design
12 professional, such as a registered architect or professional engineer;

13 b. The crawl space is an enclosed area below the BFE and, as such, must have
14 openings that equalize hydrostatic pressures by allowing for the automatic entry and exit of
15 floodwaters. For guidance on flood openings, see FEMA Technical Bulletin 1-93;

16 c. Crawl space construction is not permitted in V zones. Open pile or column
17 foundations that withstand storm surge and wave forces are required in V zones;

18 d. Portions of the building below the BFE must be constructed with materials
19 resistant to flood damage. This includes not only the foundation walls of the crawl space used to
20 elevate the building, but also any joists, insulation, or other materials that extend below the BFE;
21 and

22 e. Any building utility systems within the crawl space must be elevated above
23 BFE or designed so that floodwaters cannot enter or accumulate within the system components
24 during flood conditions.

25 f. Requirements for all below-grade crawl space construction, in addition to
26 the above requirements, to include the following:

27 1. The interior grade of a crawl space below the BFE must not be more than
28 2 feet below the lowest adjacent exterior grade (LAG), shown as D in figure 3 of Technical

1 Bulletin 11-01;

2 2. The height of the below-grade crawl space, measured from the interior
3 grade of the crawl space to the top of the crawl space foundation wall must not exceed 4 feet
4 (shown as L in figure 3 of Technical Bulletin 11-01) at any point;

5 3. There must be an adequate drainage system that removes floodwaters
6 from the interior area of the crawl space within a reasonable period of time after a flood event, not
7 to exceed 72 hours; and

8 4. The velocity of floodwaters at the site should not exceed 5 feet per second
9 for any crawl space. For velocities in excess of 5 feet per second, other foundation types should be
10 used.

11 3. Nonresidential construction. All new construction or substantial improvements of
12 nonresidential structures shall either be elevated to conform with Section 8.52.160.C or:

13 a. Be flood-proofed, together with attendant utility and sanitary facilities,
14 below the elevation recommended under Section 8.52.160.C.1, so that the structure is watertight
15 with walls substantially impermeable to the passage of water;

16 b. Have structural components capable of resisting hydrostatic and
17 hydrodynamic loads and effects of buoyancy; and

18 c. Be certified by a registered civil engineer or architect that the standards of
19 Section 8.52.160.C.3.a & b are satisfied. Such certification shall be provided to the Floodplain
20 Administrator.

21 4. Flood openings. All new construction and substantial improvements of structures
22 with fully enclosed areas below the lowest floor (excluding basements) that are usable solely for
23 parking of vehicles, building access or storage, and which are subject to flooding, shall be
24 designed to automatically equalize hydrostatic flood forces on exterior walls by allowing for the
25 entry and exit of floodwater. Designs for meeting this requirement must meet the following
26 minimum criteria:

27 a. For non-engineered openings:

28 1. Have a minimum of two openings on different sides having a total

1 net area of not less than one square inch for every square foot of enclosed area subject to flooding;

2 2. The bottom of all openings shall be no higher than one foot above grade;

3 3. Openings may be equipped with screens, louvers, valves or other
4 coverings or devices provided that they permit the automatic entry and exit of floodwater; and

5 4. Buildings with more than one enclosed area must have openings on
6 exterior walls for each area to allow flood water to directly enter; or

7 b. Be certified by a registered civil engineer or architect.

8 5. Manufactured homes. See Section 8.52.190.

9 6. Garages and low cost accessory structures.

10 a. Attached garages.

11 1. A garage attached to a residential structure, constructed with the
12 garage floor slab below the BFE, must be designed to allow for the automatic entry of flood
13 waters. See Section 8.52.160.C.4. Areas of the garage below the BFE must be constructed with
14 flood resistant materials. See Section 8.52.160.B.

15 2. A garage attached to a nonresidential structure must meet the above
16 requirements or be dry flood-proofed. For guidance on below grade parking areas, see FEMA
17 Technical Bulletin TB-6.

18 b. Detached garages and accessory structures.

19 1. “Accessory structures” used solely for parking (2 car detached garages
20 or smaller) or limited storage, as defined in Section 8.52.050, may be constructed such that its
21 floor is below the base flood elevation (BFE), provided the structure is designed and constructed
22 in accordance with the following requirements:

23 a. Use of the accessory structure must be limited to parking or limited
24 storage;

25 b. The portions of the accessory structure located below the BFE must
26 be built using flood-resistant materials;

27 c. The accessory structure must be adequately anchored to prevent
28 flotation, collapse and lateral movement;

1 d. Any mechanical and utility equipment in the accessory structure
2 must be elevated or flood-proofed to or above the BFE;

3 e. The accessory structure must comply with floodplain encroachment
4 provisions in Section 8.52.220; and

5 f. The accessory structure must be designed to allow for the automatic
6 entry of flood waters in accordance with Section 8.52.160.C.4.

7 2. Detached garages and accessory structures not meeting the above
8 standards must be constructed in accordance with all applicable standards in Section 8.52.160.

9 **8.52.170 STANDARDS FOR UTILITIES.**

10 A. All new and replacement water supply and sanitary sewage systems shall be
11 designed to minimize or eliminate:

- 12 1. Infiltration of flood waters into the systems; and
- 13 2. Discharge from the systems into flood waters.

14 B. On-site waste disposal systems shall be located to avoid impairment to them, or
15 contamination from them during flooding.

16 **8.52.180 STANDARDS FOR SUBDIVISIONS AND OTHER PROPOSED**
17 **DEVELOPMENT**

18 A. All new subdivisions proposals and other proposed development, including
19 proposals for manufactured home parks and subdivisions, greater than 50 lots or 5 acres,
20 whichever is the lesser, shall:

21 1. Identify the Special Flood Hazard Areas (SFHA) and Base Flood Elevations
22 (BFE).

23 2. Identify the elevations of lowest floors of all proposed structures and pads on the
24 final plans.

25 3. If the site is filled above the base flood elevation, the following as-built
26 information for each structure shall be certified by a registered civil engineer or licensed land
27 surveyor and provided as part of an application for a Letter of Map Revision based on Fill
28 (LOMR-F) to the Floodplain Administrator:

- 1 a. Lowest floor elevation.
- 2 b. Pad elevation.
- 3 c. Lowest adjacent grade.

4 B. All subdivision proposals and other proposed development shall be consistent with the
5 need to minimize flood damage.

6 C. All subdivision proposals and other proposed development shall have public utilities
7 and facilities such as sewer, gas, electrical and water systems located and constructed to minimize
8 flood damage.

9 D. All subdivisions and other proposed development shall provide adequate drainage to
10 reduce exposure to flood hazards.

11 **8.52.190 STANDARDS FOR MANUFACTURED HOMES**

12 A. All manufactured homes that are placed or substantially improved, on sites located:
13 (1) outside of a manufactured home park or subdivision; (2) in a new manufactured home park or
14 subdivision; (3) in an expansion to an existing manufactured home park or subdivision; or (4) in
15 an existing manufactured home park or subdivision upon which a manufactured home has
16 incurred "substantial damage" as the result of a flood, shall:

17 1. Within Zones A1-30, AH, and AE on the community's Flood Insurance Rate Map,
18 be elevated on a permanent foundation such that the lowest floor of the manufactured home is
19 elevated to or above the base flood elevation and be securely fastened to an adequately anchored
20 foundation system to resist flotation, collapse, and lateral movement.

21 2. Within Zones V1-30, V, and VE on the community's Flood Insurance Rate Map,
22 meet the requirements of Section 8.52.210.

23 B. All manufactured homes to be placed or substantially improved on sites in an
24 existing manufactured home park or subdivision within Zones A1-30, AH, AE, V1-30, V, and VE
25 on the community's Flood Insurance Rate Map that are not subject to the provisions of Section
26 8.52.190 will be securely fastened to an adequately anchored foundation system to resist flotation,
27 collapse, and lateral movement, and be elevated so that either the:

- 28 1. Lowest floor of the manufactured home is at or above the base flood elevation; or

1 2. Manufactured home chassis is supported by reinforced piers or other foundation
2 elements of at least equivalent strength that are no less than 36 inches in height above grade.

3 Upon the completion of the structure, the elevation of the lowest floor including
4 basement shall be certified by a registered civil engineer or licensed land surveyor, and verified by
5 the community building inspector to be properly elevated. Such certification and verification
6 shall be provided to the Floodplain Administrator.

7 **8.52.200 STANDARDS FOR RECREATIONAL VEHICLES**

8 A. All recreational vehicles placed in Zones A1-30, AH, AE, V1-30 and VE will
9 either:

- 10 1. Be on the site for fewer than 180 consecutive days; or
- 11 2. Be fully licensed and ready for highway use. A recreational vehicle is ready for
12 highway use if it is on its wheels or jacking system, is attached to the site only by quick
13 disconnect type utilities and security devices, and has no permanently attached additions; or
- 14 3. Meet the permit requirements of Section 8.52.120 of this chapter and the elevation
15 and anchoring requirements for manufactured homes in Section 8.52.190.

16 B. Recreational vehicles placed on sites within Zones V1-30, V, and VE on the
17 community's Flood Insurance Rate Map will meet the requirements of Section 8.52.200.A and
18 Section 8.52.210.

19 **8.52.210 COASTAL HIGH HAZARD AREAS**

20 Within coastal high hazard areas, Zones V, V1-30, and VE, as established under Section
21 8.52.070, the following standards shall apply:

22 A. All new residential and non-residential construction, including substantial
23 improvement/damage, shall be elevated on adequately anchored pilings or columns and securely
24 anchored to such pilings or columns so that the bottom of the lowest horizontal structural member
25 of the lowest floor (excluding the pilings or columns) is elevated to or above the base flood level.
26 The pile or column foundation and structure attached thereto is anchored to resist flotation,
27 collapse, and lateral movement due to the effects of wind and water loads acting simultaneously
28 on all building components. Water loading values used shall be those associated with the base

1 flood. Wind loading values used shall be those required by applicable state or local building
2 standards.

3 B. All new construction and other development shall be located on the landward side
4 of the reach of mean high tide.

5 C. All new construction and substantial improvement shall have the space below the
6 lowest floor free of obstructions or constructed with breakaway walls as defined in Section
7 8.52.050 of this chapter. Such enclosed space shall not be used for human habitation and will be
8 usable solely for parking of vehicles, building access or storage.

9 D. Fill shall not be used for structural support of buildings.

10 E. Man-made alteration of sand dunes which would increase potential flood damage is
11 prohibited.

12 F. The Floodplain Administrator shall obtain and maintain the following records:

13 1. Certification by a registered engineer or architect that a proposed structure
14 complies with Section 8.52.210.A; and

15 2. The elevation (in relation to mean sea level) of the bottom of the lowest horizontal
16 structural member of the lowest floor (excluding pilings or columns) of all new and substantially
17 improved structures, and whether such structures contain a basement.

18 **8.52.220 FLOODWAYS.**

19 Since floodways are an extremely hazardous area due to the velocity of flood waters which
20 carry debris, potential projectiles, and erosion potential, the following provisions apply:

21 A. Until a regulatory floodway is adopted, no new construction, substantial
22 development, or other development (including fill) shall be permitted within Zones A1-30 and
23 AE, unless it is demonstrated that the cumulative effect of the proposed development, when
24 combined with all other development, will not increase the water surface elevation of the base
25 flood more than 1 foot at any point within the City of Hermosa Beach.

26 B. Within an adopted regulatory floodway, the City of Hermosa Beach shall prohibit
27 encroachments, including fill, new construction, substantial improvements, and other
28 development, unless certification by a registered civil engineer is provided demonstrating that the

1 proposed encroachment shall not result in any increase in flood levels during the occurrence of the
2 base flood discharge.

3 C. If Sections 8.52.220.A & B are satisfied, all new construction, substantial
4 improvement, and other proposed new development shall comply with all other applicable flood
5 hazard reduction provisions of Sections 8.52.160 through 8.52.220.

6 **8.52.230 NATURE OF VARIANCES**

7 The issuance of a variance is for floodplain management purposes only. Insurance
8 premium rates are determined by statute according to actuarial risk and will not be modified by
9 the granting of a variance.

10 The variance criteria set forth in this section of the chapter are based on the general
11 principle of zoning law that variances pertain to a piece of property and are not personal in nature.

12 A variance may be granted for a parcel of property with physical characteristics so unusual
13 that complying with the requirements of this chapter would create an exceptional hardship to the
14 applicant or the surrounding property owners. The characteristics must be unique to the property
15 and not be shared by adjacent parcels. The unique characteristic must pertain to the land itself,
16 not to the structure, its inhabitants, or the property owners.

17 It is the duty of the City of Hermosa Beach to help protect its citizens from flooding. This
18 need is so compelling and the implications of the cost of insuring a structure built below flood
19 level are so serious that variances from the flood elevation or from other requirements in the flood
20 ordinance are quite rare. The long term goal of preventing and reducing flood loss and damage
21 can only be met if variances are strictly limited. Therefore, the variance guidelines provided in
22 this chapter are more detailed and contain multiple provisions that must be met before a variance
23 can be properly granted. The criteria are designed to screen out those situations in which
24 alternatives other than a variance are more appropriate.

25 **8.52.240 CONDITIONS FOR VARIANCES**

26 A. Generally, variances may be issued for new construction, substantial improvement,
27 and other proposed new development to be erected on a lot of one-half acre or less in size
28 contiguous to and surrounded by lots with existing structures constructed below the base flood

1 level, providing that the procedures of Sections 8.52.120 through 8.52.220 of this chapter have
2 been fully considered. As the lot size increases beyond one-half acre, the technical justification
3 required for issuing the variance increases.

4 B. Variances may be issued for the repair or rehabilitation of "historic structures" (as
5 defined in Section 8.52.050 of this chapter) upon a determination that the proposed repair or
6 rehabilitation will not preclude the structure's continued designation as an historic structure and
7 the variance is the minimum necessary to preserve the historic character and design of the
8 structure.

9 C. Variances shall not be issued within any mapped regulatory floodway if any
10 increase in flood levels during the base flood discharge would result.

11 D. Variances shall only be issued upon a determination that the variance is the
12 "minimum necessary" considering the flood hazard, to afford relief. "Minimum necessary" means
13 to afford relief with a minimum of deviation from the requirements of this chapter. For example,
14 in the case of variances to an elevation requirement, this means the City of Hermosa Beach need
15 not grant permission for the applicant to build at grade, or even to whatever elevation the
16 applicant proposes, but only to that elevation which the City of Hermosa Beach believes will both
17 provide relief and preserve the integrity of the local ordinance.

18 E. Any applicant to whom a variance is granted shall be given written notice over the
19 signature of a community official that:

20 1. The issuance of a variance to construct a structure below the base flood level will
21 result in increased premium rates for flood insurance up to amounts as high as \$25 for \$100 of
22 insurance coverage, and

23 2. Such construction below the base flood level increases risks to life and property. It
24 is recommended that a copy of the notice shall be recorded by the Floodplain Administrator in the
25 Office of the Los Angeles County Recorder and shall be recorded in a manner so that it appears in
26 the chain of title of the affected parcel of land.

27 F. The Floodplain Administrator will maintain a record of all variance actions, including
28 justification for their issuance, and report such variances issued in its biennial report submitted to

1 the Federal Emergency Management Agency.

2 **8.52.250 CRITERIA FOR ISSUANCE OF VARIANCES**

3 A. In passing upon requests for variances, the City of Hermosa Beach shall consider
4 all technical evaluations, all relevant factors, standards specified in other sections of this chapter,
5 and the:

- 6 1. Danger that materials may be swept onto other lands to the injury of others;
- 7 2. Danger of life and property due to flooding or erosion damage;
- 8 3. Susceptibility of the proposed facility and its contents to flood damage and the
9 effect of such damage on the existing individual owner and future owners of the property;
- 10 4. Importance of the services provided by the proposed facility to the community;
- 11 5. Necessity to the facility of a waterfront location, where applicable;
- 12 6. Availability of alternative locations for the proposed use which are not subject to
13 flooding or erosion damage;
- 14 7. Compatibility of the proposed use with existing and anticipated development;
- 15 8. Relationship of the proposed use to the comprehensive plan and floodplain
16 management program for that area;
- 17 9. Safety of access to the property in time of flood for ordinary and emergency
18 vehicles;
- 19 10. Expected heights, velocity, duration, rate of rise, and sediment transport of the
20 flood waters expected at the site; and
- 21 11. Costs of providing governmental services during and after flood conditions,
22 including maintenance and repair of public utilities and facilities such as sewer, gas, electrical,
23 and water system, and streets and bridges.

24 B. Variances shall only be issued upon a:

- 25 1. Showing of good and sufficient cause;
- 26 2. Determination that failure to grant the variance would result in exceptional
27 "hardship" to the applicant; and

28

1 3. Determination that the granting of a variance will not result in increased flood
2 heights, additional threats to public safety, or extraordinary public expense, create a nuisance (see
3 "Public safety and nuisance"), cause "fraud and victimization" of the public, or conflict with
4 existing local laws or ordinances.

5 C. Variances may be issued for new construction, substantial improvement, and other
6 proposed new development necessary for the conduct of a functionally dependent use provided
7 that the provisions of Sections 8.52.250.A through 8.52.250.D are satisfied and that the structure
8 or other development is protected by methods that minimize flood damages during the base flood
9 and does not result in additional threats to public safety and does not create a public nuisance.

10 D. Upon consideration of the factors of Section 8.52.240.A and the purposes of this
11 chapter, the City of Hermosa Beach may attach such conditions to the granting of variances as it
12 deems necessary to further the purposes of this chapter.

13
14 **SECTION 3.** Chapter 15.04 of the Hermosa Beach Municipal Code is amended by
15 adding a new Section 15.04.150 to read as follows:

16
17 **15.04.150 FLOODPLAIN MANAGEMENT REGULATIONS**

18 Notwithstanding the provisions of Section 15.04.010, the Building Code is amended by
19 requiring that all construction or other development within any area of special flood hazard, as
20 determined in Section 8.52.060 of this Code, is subject to the Floodplain Management Regulations
21 set forth in Chapter 8.52 of this Code.

22 **SECTION 4.** This Ordinance shall become effective and be in full force and effect from
23 and after thirty (30) days of its final passage and adoption.

24
25 **SECTION 5.** Pursuant to Government Code § 36933(c)(1), a summary of this ordinance
26 was published in the Easy Reader, a weekly newspaper of general circulation published and
27 circulated, in the City of Hermosa Beach five days before adoption. Prior to the expiration of
28 fifteen (15) days after the date of its adoption, the City Clerk shall cause a summary of this

1 ordinance to be published in the Easy Reader, a weekly newspaper of general circulation
2 published and circulated, in the City of Hermosa Beach in the manner provided by law.

3
4 **SECTION 6.** The City Clerk shall certify to the passage and adoption of this Ordinance,
5 shall enter the same in the book of original Ordinances of said city, and shall make minutes of the
6 passage and adoption thereof in the records of the proceedings of the City Council at which the
7 same is passed and adopted.

8 **PASSED, APPROVED and ADOPTED** this 8th of August 2006 by the following vote:

9 AYES: Bobko, Edgerton, Keegan, Reviczky, Mayor Tucker
10 NOES: None
11 ABSENT: None
12 ABSTAIN: None

13
14
15 _____
16 **PRESIDENT** of the City Council and **MAYOR** of the City of Hermosa Beach, California

17
18
19
20 ATTEST:

APPROVED AS TO FORM:

21
22
23 _____
24 City Clerk

_____ City Attorney

25
26
27
28