

November 4, 2002

Honorable Chairman and Members of
the Public Works Commission

Regular Meeting of
November 20, 2002

**PROJECT NO. CIP 00-410 LOMA AREA SEWER IMPROVEMENTS & PROJECT NO. CIP
00-192 LOMA AREA STREET IMPROVEMENTS – RECEIVE AND FILE REPORT**

Recommendation:

It is recommended that Commission receive and file this report.

Summary:

Project Nos. CIP 00-410 Loma Area Sewer Improvements and CIP 00-192 Loma Area Street Improvements are approved for Fiscal Year 2002-03. These projects were designed and packaged together for bid and construction. On November 12, 2002 City Council approved the plans, specifications and advertising for bids.

The plans, specifications and estimates for these projects have been approved by the Director of Public Works and are available in the Department of Public Works for review.

Background:

In April 2002, City Council approved the Professional Services Agreement between the City and SA Associates for engineering and design services.

The proposed sewer work consists of installing new 8" sewer main, manholes, and lateral connections, and abandoning existing sewer main and manholes. The proposed street work consists of total reconstruction of the street section with 4" of asphalt concrete pavement over 6" of aggregate base. Additional work includes, but is not limited to, traffic markings, adjustment of utility boxes, installation concrete cross gutters, handicap access ramps, one tree removal, and one stump removal.

These projects were discussed at the Public Works Commission meeting on December 13, 2000. Staff listened to the residents' concerns and parking was not reduced in the design of these projects.

The engineer's estimate is approximately \$2,000,000 and the duration of construction is 60 working days.

Fiscal Impact:

No fiscal impact at this time.

Attachment: Project Location Maps

Respectfully submitted,

Concur:

Tristan D. Malabanan
Assistant Engineer

Harold C. Williams, P.E.
Director of Public Works/City Engineer

F:\B95\PWFILES\PW Commission\pwitems\00-410 & 00-192 receive report 11-20-02.doc